


RF Saw Filters



TSF 3838 (3.8 x 3.8 x 1.4 mm)




Part Number	Center Frequency	Pass Band	Insertion Loss	Part Number	Center Frequency	Pass Band	Insertion Loss
	(MHz)	(MHz)	(dB Max)		(MHz)	(MHz)	(dB Max)
TSF0204A	281	8	4.5	TSF0723A	433.42	0.5	5
TSF0205A	284	8	4.5	TSF0708A	433.5	3.2	4
TSF0499A	311.04	0.4	4	TSF0277A	433.92	0.6	4
TSF0615A	311.06	2	3	TSF0300A	433.92	1.0	3
TSF0365A	312.15	0.95	4	TSF0537A	433.92	1.74	3.7
TSF0518A	313.85	0.8	4	TSF0306A	434.26	1.0	3
TSF0672A	315	10	4	TSF1408A	435	10	3.5
TSF0705A	315	0.6	2.5	TSF0594A	441.265	5	3.6
TSF0301A	315	0.8	4	TSF1634A	443	20	3
TSF1002A	340	6	3.5	TSF1676A	445	20	3.3
TSF1717A	345	0.8	3.3	TSF1120A	446	20	4.2
TSF1595A	400	4	4.5	TSF1291A	446	4	4.5
TSF0980A	402	4	4.5	TSF0381A	446	8	4.5
TSF0520A	403.5	3	2.5	TSF1419A	447	0.63	3
TSF0489A	403.5	3	3	TSF1563A	447.4	0.6	3.3
TSF0340A	403.966	1	3	TSF0710A	448	3	4
TSF1348A	404	3	2.3	TSF1421A	452.5	4.8	2.8
TSF1542A	408	5	3.6	TSF0940A	453.695	5	3.6
TSF1636A	412.5	19	3	TSF1705A	454	32	3.3
TSF0525A	415.4	5	3.6	TSF1087A	455	14	3.5
TSF1119A	416	20	4.2	TSF0472A	455	0.5	4
TSF0592A	416.405	5	3.6	TSF0473A	456	0.5	4
TSF0706A	426	2	4	TSF1010A	460	20	3.2
TSF1216A	426.44	1.03	3	TSF0474A	460	0.5	4
TSF1635A	427.5	15	3	TSF1677A	462	20	3.3
TSF1675A	428	20	2	TSF1422A	462.5	4.8	3.5
TSF0593A	428.835	5	3.6	TSF0475A	462.5375	0.5	4
TSF0707A	429.25	2	4	TSF1088A	464	12	3.5
TSF0655A	430	4	3.6	TSF0476A	467.5375	0.5	4
TSF1118A	431	20	4.2	TSF1063A	469	14	3.5
TSF0692A	433	20	2.8	TSF1113A	475	20	3.2



RF Saw Filters



TSF 3838 (3.8 x 3.8 x 1.4 mm)




Part Number	Center Frequency	Pass Band	Insertion Loss	Part Number	Center Frequency	Pass Band	Insertion Loss
	(MHz)	(MHz)	(dB Max)		(MHz)	(MHz)	(dB Max)
TSF1631A	480	4	3	TSF0877A	787.5	25	4
TSF1351A	483	24	3	TSF1131A	793	10	2.5
TSF1112A	490	20	3.2	TSF0736A	800	20	4
TSF1352A	499	24	3	TSF0450A	802	8	4.2
TSF1114A	503.5	17	3.2	TSF0984A	806	6	4
TSF1353A	525	24	3	TSF0451A	808	4	4.2
TSF1354A	550	24	3	TSF1386A	826.5	9	3.5
TSF1355A	576	24	3	TSF0907A	830	10	4.2
TSF0914A	611	6	2.7	TSF0511A	830.05	9	4.5
TSF0962A	626	24	4.5	TSF1642A	856	10	4
TSF1357A	627	24	3	TSF1469A	860.5	19	4
TSF1006A	629	18	4.5	TSF0452A	861	8	4.2
TSF0963A	638	24	4.5	TSF0735A	864	2	3.5
TSF1007A	647	18	4.5	TSF0287A	864	2	4.2
TSF1358A	653	24	3	TSF1362A	866	8	3
TSF1359A	678	24	3	TSF1245A	868	1.8	5.5
TSF0985A	696	6	4.5	TSF0828A	868.3	0.6	3.8
TSF1360A	704	24	3	TSF0257A	868.3	1	4.2
TSF1015A	707	20	4	TSF0538A	868.6	1.2	4
TSF0881A	710	12	4.5	TSF1018A	869	2	3
TSF0958A	716	12	4.5	TSF0348A	869.2625	1.25	4.5
TSF1361A	730	24	3	TSF0512A	874.55	9.2	3.5
TSF0882A	740	12	4.5	TSF0908A	875	10	4.2
TSF1016A	742.5	31	4	TSF0909A	900	30	4.4
TSF0959A	746	12	4.5	TSF0530A	912.1	10.2	4.1
TSF1005A	748	32	4.5	TSF0380A	914.5	8	4
TSF1297A	755	24	3	TSF0282A	914.5	8	4
TSF1130A	763	10	3	TSF915EC	915	26	3.2
TSF1641A	772	8	3.8	TSF915FC	915	26	3.5
TSF1298A	781	24	3	TSF0521A	915	6	4.3
TSF1017A	781.5	13	4	TSF0832A	915.3	21.8	3.5

[Click To Quote](#)

RF Saw Filters



TSF 3838 (3.8 x 3.8 x 1.4 mm)




Part Number	Center Frequency	Pass Band	Insertion Loss
	(MHz)	(MHz)	(dB Max)
TSF0792A	915.3	21.8	3.5
TSF1449A	918.6	3.6	7
TSF1246A	922	2	5.5
TSF1247A	924	2	5.5
TSF0463A	925	6	4.2
TSF1008A	927	2	4.5
TSF930GC	930.5	4	4.5
TSF0610A	930.5	8	4.5
TSF935EC	935	12	4
TSF0910A	945	30	4.4
TSF1388A	948	8	3
TSF1381A	978	25	3.5
TSF0177A	1030	30	3
TSF0690B	1030	30	3.5
TSF0690A	1030	30	3
TSF0232A	1090	12	5.3

[Click To Quote](#)


RF Saw Filters





TSF 3030
(3.0 x 3.0 x 1.4 mm)



TSF 3838 Package



Measurements: Inches (mm)
Att'l Tolerance: ± 0.008 (± 0.2)



Items listed are common filters. Custom filters are available.
Please contact Tellurian for more information.

[Click To Quote](#)